
TITLE 3

ROAD ACCESS AND UTILITIES

**CHAPTERS 1 AND 2 ADOPTED AND APPROVED ON
DECEMBER 4, 2018**

**BY THE TETON COUNTY BOARD OF COUNTY
COMMISSIONERS**

**CHAPTERS 1 AND 2 EFFECTIVE AS OF JANUARY 1,
2019**

CHAPTER 3 ADOPTED AND APPROVED ON JULY 16, 2019

BY THE TETON COUNTY BOARD OF COUNTY COMMISSIONERS

CHAPTER 3 EFFECTIVE AS OF JULY 16, 2019

CHAPTER 1 – REGULATIONS FOR OBTAINING ACCESS DRIVEWAY PERMIT

3-1-1 PERMIT FORMS

- a. Application for an access permit to connect a driveway or any access point onto a county road; or to reconstruct or alter any existing driveway or existing access onto a county road shall be made to the Teton County Road and Levee Supervisor. Application for access permit will be accepted only from an individual or partnership or corporation or other body recognized by law as owning the property abutting the county road right-of-way or proposed county road, that the access shall be located upon. The application shall be processed with an acceptance or denial by the Teton County Road/Levee Supervisor within 4 weeks of receipt. Delays may arise due to a proposed access that is not straight forward and/or does not meet the requirements of these rules.

3-1-2 INFORMATION REQUIRED

- a. The location of the property must be identified clearly enough for the proposed site to be located in the field.
- b. Complete names and addresses of the property owner or owners must be given on the application.
- c. The planned property use must be indicated as one of the following:
 - i. Private Residential Driveway. A private residential is defined as a driveway adjacent to a county road to provide entrance to and/or exit from a residential dwelling for the exclusive use and benefit of those residing therein.
 - ii. Commercial Driveway. A commercial driveway is defined as an entrance to and/or exit from any commercial, business or public establishment adjacent to a county highway.
 - iii. Cultural and Institutional Driveways. A cultural or institutional driveway is defined as an entrance to and/or exit from churches, schools, hospitals, etc. Design requirements are the same as for commercial driveways.
 - iv. Minor Driveway. A minor driveway is defined as an entrance to and/or exit from a field, ranch or farm property, and not frequently used.
- d. A sketch showing sufficient dimensions shall be submitted with the application which clearly indicates the character and extent of the work proposed including:
 - i. The location of all existing or purposed building, stand, pumps, retaining walls, and other physical features which affect the driveway location.
 - ii. The sketch must show property lines and dimensions and existing access driveways.
 - iii. The sketch must show all drainage which affect the driveway location.
 - iv. Off-street parking locations which may affect the driveway location.
 - v. The sketch must show the proposed access driveway.

3-1-3 MATERIALS

- a. The grantee shall furnish all materials necessary for the construction of the entrances and appurtenances authorized by the permit. All materials shall be of satisfactory quality and shall be subject to the inspection and approval by the Teton County Road Department.

3-1-4 DRIVEWAY CONSTRUCTION

- a. All new access driveways following approval of permit shall be constructed in conformance with the approved sketch.

3-1-5 INSPECTION MAINTENANCE

- a. Teton County Road Department reserves the right to inspect these installations at the time of construction and at all times thereafter, and to require such changes, maintenance and repairs as may at any time be considered necessary to provide protection of life and property on or adjacent to the roadway. Teton County has the right to remove or require to be removed, at the landowner's expense, any access that has not been permitted or approved and accepted, and does not meet the requirements set by Teton County.

3-1-6 CHANGES IN EXISTING FACILITIES

- a. No access driveway or other improvement constructed on the roadway right-of-way shall be relocated or its dimensions altered without a duly approved permit from the Teton County Road/Levee Supervisor.

3-1-8 LIMITATION

- a. These regulations shall apply on all county roads under the jurisdiction of the Teton County. A list of official county roads of Teton County are available from the Teton County Road/Levee Supervisor or the County Clerk.

3-1-9 SIGNS

- a. The grantee shall not be permitted to erect any sign, either fixed or movable, on or extending over any portion of the roadway right-of-way, or conduct any business of any nature on the roadway right-of-way except for traffic control or public address signs as may be required by county.

3-1-10 DESIGN REQUIREMENTS

- a. **Design Requirements for Driveways.**

- i. **Property Frontage.** All parts of accesses on highway right of way shall be confined within the grantee's property frontage wherever possible. Frontage is that portion confined within the limits of the grantee's property lying between the two most distant possible lines drawn perpendicular from the centerline of the highway to the grantee's abutting property.
 - ii. **Location.** Locations of accesses shall be selected to provide maximum safety for highway traffic and for users of the access. All parts of any access, including the radii, shall have a minimum clearance of 12.5 feet from the abutting property line.
 - iii. **Sight Distance.** The measured distance for the spacing shall be from the center of one access to the center for the next access. All sight distances shall meet the values in Table II – 1 attached hereto.
 - iv. **Drainage.** Drainage in highway side ditches shall not be altered or impeded unless approved by Teton County when drainage structures are required. Size and type of pipe and other design features shall be as directed by the Teton County Road and Levee Supervisor. These costs and the costs of a drainage study, if required, shall be borne by the applicant.
 - v. **Design Variations.** The Teton County Road and Levee Supervisor may authorize or require certain changes in the design limits herein when such changes are necessary to preserve the normal and safe movement of traffic or to permit reasonable access. In consideration of type, speed, and volume of highway and access traffic, larger radii than the minimum listed may be required. In all cases, curb return radii shall be confined to the grantee's property frontage wherever possible and shall not be less than 10 feet.
 - vi. **Access Elements.** The driveway slope or grade shall be constructed to drain away from the highway.
 - vii. **Joint Accesses.** Landowners of adjacent property may be asked or may want to construct a joint access to service both properties. All requirements of this manual shall be met, except for the minimum clearance restriction in **Property Frontage** and **Location** sections. If an easement is involved, a copy of the easement will be included with the access application and the landowner does not necessarily need to sign the application.
 - viii. **Multiple Accesses.** Two or more accesses entering a State highway from a single commercial or residential establishment must be justified to the satisfaction of Teton County Road and Levee Supervisor and may require a traffic impact or engineering study.
 - ix. **Paving.** All accesses which generate 50 trip ends or more per day shall be paved and all costs shall be borne by the landowner.
- b. **Residential or Field Accesses.**
- i. **Construction.** The landowner shall do all work and pay all costs for the construction of access driveways and their appurtenances on the highway right of way. Any damages to the road right of way resulting from the construction shall also be paid by the landowner.

- ii. **Width.** The width, excluding radii and special cases, shall not exceed 24 feet urban or rural, nor be less than 16 feet.
 - iii. **Angle.** The angle of the access driveway from the highway pavement shall be as near 90 degrees as site conditions will permit. The minimum angle allowed is 60 degrees.
 - iv. **Radii.** Residential driveway radii shall not be less than 10 feet nor greater than 30 feet urban, 40 feet rural. Exceptions may be allowed.
- c. **Major or Commercial Accesses.**
- i. **Construction.** The grantee shall do all work and pay all costs in for the construction of accesses and their appurtenances on the highway right of way. Any damages to the road or right of way resulting from the construction shall also be paid by the grantee.
 - ii. **Width.** The width of two-way access driveways shall not exceed 40 feet not be less than 24 feet. The width of one-way access driveways shall be a minimum of 16 feet and a maximum of 24 feet. Width shall be measured at right angles to the centerline of the driveway. Radii are not included in driveway width.
 - iii. **Driveway Angle.** Driveways connecting to streets with two-way operation shall be as near 90 degrees as site conditions will permit. Driveways that have a one-way operation and allow only right-in at the entrance and right-out at the exit may have a 60 degree minimum angle.
 - iv. **Radii.** Commercial driveway radii shall not be less than 10 feet nor greater than 50 feet.
 - v. **Vehicle Service Fixtures.** The distance from the right of way line to the near edge of service pumps, vendor stands, tanks, or private water hydrants should be a minimum of 20 feet to permit free movement of large vehicles and to ensure that they are entirely off highway right of way while being serviced. Maneuverability of large vehicles may warrant more than 20 feet.
 - vi. **Heavy Traffic Volume Access Driveways.** If Teton County determines an impact or analysis study is needed, the applicant will pay for the study. Fast food restaurants, car washes, industrial parks, residential subdivisions, and other accesses of this nature must make allowances for car storage on the premises to prevent stacking of vehicles on the roadway. It is recommended that a minimum capacity of 15 vehicles for restaurants and 10 to 20 vehicles for a car wash be provided. If needed and feasible to construct, warranted auxiliary acceleration and deceleration lanes shall be provided and paid by the landowner. No other accesses shall be permitted within the limits of the auxiliary lines.

CHAPTER 2 – RIGHT OF WAY

3-2-1 RIGHT-OF-WAY LICENSE APPLICATION PROCEDURE

- a. An application for any installation must be filed with the Teton County Road Department if the installation is within a county right-of-way or along any county bridge structures.
- b. Application must be approved by Teton County Road Supervisor prior to any Construction.
- c. All paved surface crossings within County right-of-way shall be bored. Exceptions determined on a case by case basis.
- d. Specify the width, depth, and materials that will be used. The Teton County Road Supervisor will review, and if any special guidelines are needed, it will be stated on the application under "approval".
- e. After approval of application, the applicant must call the Teton County Road Department at 307-733-7190 with a commencement date.
- f. General Specifications:
 - i. Maximum distance from right-of-way line for any installation shall be ten (10) feet.
 - ii. Minimum depth for buried installation shall be thirty (30) inches. Stream and irrigation ditch crossing shall be measured from bottom of ditch or stream and minimum shall be forty-eight (48) inches.
 - iii. Bridge installation shall be in PVC conduit with approved attachment devices.
 - iv. Culverts and drainage devices shall have the same minimum depth as ditches and streams forty-eight (48) inches shall be measured from bottom of culvert or drainage structure.
 - v. Attached a map, topographic map, or plan sheet dated which clearly shows the alignment, grade, vertical and horizontal clearances, type of material, operating pressure and/or capacity, property ties, as well as dimensions to the roadway and/or right-of-way line, which by this reference is made a part thereof. For aerial crossing Licenses, the map shall show at a minimum the low sag design clearance above the high point of the roadway. For buried highway crossing License, the map shall show at a minimum the depth of the relative to natural ground, roadway drainage ditch, and the roadway template as well as the proposed casing type and method of installation. Pipelines require plan sheets, preferably with aerial photo backgrounds, showing proposed alignment and appurtenances.
- g. If installation is done incorrectly, and damage has occurred due to this incorrect installation, the utility company will be held responsible for all repairs, materials and labor.
- h. There is no fee for this application.

- i. Any future alterations, modifications, or removals within the public right-of-way, required and requested by the county, shall be completed without delay. Adjustments will be accomplished at no expense to the county.

3-2-2 RIGHT-OF-WAY LICENSE RULES

- a. The license grants permission for the licensee to occupy a portion of the right-of-way controlled by the county. This permission is limited by the type of controlling interest held by the county. Responsibility to satisfy any other fee (deeded) interest rests with the licensee.
- b. This license will not be modified, transferred, or assigned without the written consent of the county. This license does not allow for installation of additional facilities, nor does this license set aside a strip of land of specific width for the exclusive use by the licensee.
- c. The licensee shall agree to the standards for traffic control as outlined in the "Manual on Uniform Traffic Control Devices." Traffic control plans and road closure plans may be required by the County for approval prior to starting any work on the street right-of-way.
- d. The licensee shall agree to forever indemnify the county and save it harmless from all liability for damages to property, or injury to death of persons, including all costs and expenses related thereto, arising wholly or in part, or in connection with the existence, construction, alteration, repair, renewal, use, or removal by the licensee or his agents, for those facilities located within the county right-of-way described or noted herein.
- e. Specific construction considerations may directed by the county. The licensee agrees to incorporate the applicable requirements into the design of the and assures compliance with these requirements during the construction. Non-compliance will void the permit.
- f. The licensee is required to notify the county in writing to cancel and/or nullify an issued license if the described facility is to be abandoned in place, will be removed, or will not be constructed. The county will determine if abandonment in place will hinder the county's future operations and if the facility must be removed at the time of abandonment.
- g. This license will be null and void if construction of the described facility does not commence within six (6) months of approval unless prior arrangements have been made specifying a specific construction period. This license shall be null and void if the described facility is not in use for a period of eighteen (18) months or longer, and the licensee may be required to remove the facility.
- h. Based upon the complexity, construction methods or other concerns, the county may require part-time or full-time inspector(s) to the licensee's project. The cost of such inspection will be at the sole expense of the licensee.
- i. The licensee shall waive all claims against the county for any loss, damage or injury sustained to property of licensee which is installed on county right-of-way under the agreement due to negligence of county or its employees.
- j. The licensee shall perform any work operation in the vicinity of electric power lines in compliance with Wyo. Stat. §37-3-301 through §37-3-306, titled Wyoming High Voltage Power lines and Safety Restrictions Act, and the provisions Wyo. Stat. §37-12-301 through §37-12-304, titled Damage to Underground Public Utilities Facilities.

- k. This license shall be issued with the understanding that conventional construction methods like: trenching, plowing, boring, pole setting by truck, etc. will be used. Activities like blasting, erection of poles or structures by helicopter or other non-conventional methods will require specific prior approval by the county.
- l. Licensee shall design, construct, maintain and operate the facility so that it will not interfere with the use of the area subject to this License by the county. Licensee shall restore the surface and any damaged improvements and any disturbed adjacent areas caused by any failure of the design, construction, maintenance or operation of the facility, to a condition comparable to the condition of the disturbed or damaged areas before the failure of the facility.
- m. After repair of any asphalt or asphaltic roadways or pathways that are damaged and/or removed as a result of the construction of the facility, the licensee and county shall meet and document the post-construction condition of the roadway. This data will be used as a baseline to determine future maintenance repairs required of the licensee that result from settlement and/or other means of roadway or pathway failure caused by the failure of the design, construction, maintenance or operation of the facility.
- n. No open-trench cutting of a county controlled and maintained roadway will be allowed without prior consent of the county road and levee supervisor.
- o. Licensee must call for utility locates prior to installation of any facility
- p. All disturbed areas shall be reclaimed, by grading, top-soil placement, and seeding using an approved seed mix.

TABLES

TABLE II – 1
SIGHT DISTANCE (SD)

MPH	PERCENT GRADE																						
	0%	1%	-1%	2%	-2%	3%	-3%	4%	-4%	5%	-5%	6%	-6%	7%	-7%	8%	-8%	9%	-9%	10%	-10%		
20	130	130	130	125	130	125	135	125	135	125	135	125	135	125	140	120	140	120	140	120	140	120	145
25	175	170	175	170	175	170	180	165	185	165	185	165	185	165	190	160	190	160	190	160	195	160	195
30	220	220	225	215	225	215	230	210	235	210	235	210	240	205	245	205	245	205	250	200	250	200	255
35	275	270	280	270	280	265	285	260	290	260	295	255	300	255	305	250	310	250	315	250	315	250	320
40	330	330	335	325	340	320	345	315	350	315	360	310	365	305	370	305	380	300	385	300	385	300	395
45	395	390	400	385	405	380	415	375	420	370	430	365	435	365	445	360	455	355	465	350	475	350	475
50	465	455	470	450	475	445	485	440	495	430	505	425	515	420	525	420	535	415	545	410	560	410	560
55	535	525	545	520	555	510	560	505	575	500	585	490	595	485	610	480	620	475	635	470	650	470	650
60	610	600	620	595	635	585	645	575	655	570	670	560	685	555	700	550	715	540	735	535	750	535	750
65	695	685	705	670	720	660	730	650	745	645	760	635	780	625	795	620	815	610	835	605	855	605	855
70	780	770	795	755	810	745	825	730	840	720	860	710	880	700	900	695	920	685	945	675	970	675	970
75	870	855	890	845	905	830	925	815	940	805	965	795	985	780	1010	770	1035	760	1060	750	1090	750	1090
80	970	950	985	935	1005	920	1025	905	1050	890	1070	880	1095	865	1125	855	1150	845	1185	830	1215	830	1215

Sight Distance (SD)* - Distances are based on the "2011 6th Addition, A Policy on Geometric Design of Highways and Streets, Decision Sight Distance, Avoidance Maneuver A" and rounded up to the nearest five feet. Eye height is 3.5 feet. Object height is increased to 3.5 feet to design for a driver on the major road to see a vehicle entering or exiting the access location. Large trucks have longer stopping distances but also have much better sight distances due to their height and therefore are not usually given special design consideration. If access generates heavy truck traffic, increase reaction time(t) to 4.8 s for the above values or perform an engineering study.

* SD = $1.47Vt + V^2/30[(a/32.2) \pm G]$; t is reaction time = 30 sec; V is Velocity in mph; a is deceleration rate = 11.2 ft/s²; G is percent grade divided by 100.

CHAPTER 3 – USE OF COUNTY RIGHT OF WAY FOR SMALL WIRELESS FACILITIES

3-3-1 SMALL WIRELESS FACILITIES IN COUNTY RIGHT OF WAY

- a. Subject to the provisions of this Chapter and along, across, upon or under a county public right-of-way (ROW), a wireless provider may:
 - i. Collocate a small wireless facility, including collocation on a County pole, or other utility provider's pole through a third-party attachment agreement;
 - ii. Install, operate, modify, maintain or replace:
 - 1. a utility pole associated with the wireless provider's collocation of small wireless facilities;
 - 2. a stand-alone pole owned by a wireless provider for use with a small wireless facility; or
 - 3. equipment required for a wireless provider's operation or collocation of a small wireless facilities.
 - iii. An applicant may not install a new utility pole or a small wireless facility, including any associated equipment, upon or under a residential street without the County's discretionary written consent.
 - iv. This chapter applies to the construction, modification, removal and operation of small wireless facilities installed in the public ROW.
 - v. This chapter does not apply to video service systems, wireline services, or wireless facilities that are not small wireless facilities.
 - vi. All references to small wireless facilities in this chapter shall refer only to small wireless facilities in the ROW and not small wireless facilities located anywhere outside of the ROW.
 - vii. No person shall install, construct, modify, or otherwise place any small wireless facility within the public ROW except pursuant to the provisions of this chapter.
 - viii. Microwave, macro towers, and other wireless backhaul facilities are not permitted within the public ROW.
 - ix. The definitions used in this chapter apply only to this chapter.

3-3-2 DEFINITIONS

- a. For purposes of this chapter, the following terms, phrases, words, and their derivatives shall have the meanings set forth in this section, unless the context clearly indicates that another meaning is intended. Words used in the present tense include the future tense, words in the single number include the plural number, words in the plural number include the singular. The words "shall" and "will" are mandatory, and "may" is permissive. Words not defined shall be given their common and ordinary meaning.
 - i. County Pole: An authority pole owned by Teton County.

- ii. License: A License constitutes the formal written consent of the County to occupy a portion of the right-of-way as set for in the Teton county Rules and Regulations, Title 3, Chapter 2, Section 3-2-2, Right-of-Way License Rules.
- iii. Provider. The Provider means a communication service provider or a wireless services provider and includes any person that owns and/or operated with in the public ROW any communications facilities, wireless facilities, Poles built for the sole or primary purpose of support communications facilities or towers.
- iv. Right-of-way (ROW): Does not include private streets; private alleys; utility easements owned by the County, including public utility easements shown on a recorded subdivision plat; the interior of public parks or other public grounds including internal sidewalks, parking areas or roads; or trails and paths that are not immediately adjacent to and parallel with a public ROW.
- v. Residential Street: A public ROW that is not more than 60 feet wide, as shown on a deed, dedication plat, or other official plat record on file with the office of the Teton County Recorder and that is adjacent to single-family residential lots, other multifamily residences or undeveloped land that is designated for residential use by zoning or deed restriction.
- vi. Small wireless facility: A type of wireless facility on which each wireless provider's antenna could fit within an enclosure of no more than six cubic feet in volume, and for which all wireless equipment associated with the wireless facility, whether ground-mounted or pole-mounted, is cumulatively no more than 28 cubic feet in volume, not including any:
 - 1. electric meter;
 - 2. concealment element;
 - 3. telecommunications demarcation box;
 - 4. grounding equipment;
 - 5. power transfer switch;
 - 6. cut-off switch;
 - 7. vertical cable run for the connection of power or other service;
 - 8. wireless provider antenna; or
 - 9. coaxial or fiber-optic cable that is immediately adjacent to or directly associated with a particular combined location, unless the cable is a wireline backhaul facility.
- vii. Stand-alone pole: A pole installed by a wireless provider in the public ROW or use in connection with a small wireless facility.

3-3-3 EFFECTS OF A LICENSE

- a. **License Authorization.** Any License granting the work in the public ROW issued under this Chapter authorized construction at a location as proposed and as approved by the license, with the permission of the County.
- b. **Not in lieu of Other Required Permits.** A license is not in lieu of building permits, electrical permits, franchise agreements, third party agreements, licensing agreements, or any other permits or authorizations that may be required as a condition of construction or operation of the permanent facilities or utility, and it

does not excuse compliance with any other law, regulation, practice or other requirement under federal, state or local law.

- c. **License Consents Required for Access to Public ROW.** Prior to installing in the public ROW any small wireless facility, or any pole built for the sole or primary purpose of supporting a communications facility, a person shall enter into a license agreement with the County expressly authorizing the use of the public ROW for small wireless facility or pole proposed to be installed.
- d. **Non-Exclusive Use Permission.** The license grants non-exclusive use of the public ROW for the sole purpose of installing, maintaining and operating communication facilities in which the authority has an actual interest. It is not a warrant of title or interest in any public ROW and it does not confer on the Provider any interest in any particular location with the public ROW. No other right or authority is granted except as expressly set forth in the license.

3-3-4 LICENSE AGREEMENT REQUIRED

- a. An executed license agreement shall be in effect prior to:
 - i. Collocating a small wireless facility in a public ROW;
 - ii. Installing a new, modified, or replacement utility pole, authority pole or standalone pole associated with a small wireless facility in a ROW;
 - iii. Permanently removing a small wireless facility.
- b. It is unlawful for any person to construct, maintain or remove small wireless facilities in public ROW of the County without first having executed with the County a license agreement setting forth the terms and conditions under which such improvements may remain in place.
- c. The license agreement shall be a binding contract approved as to form by the County Attorney. The Provider hereby agrees to indemnify, defend, and save harmless the County, its officers, agents, and employees against any and all claims for personal injury or property damage, including reasonable attorney's fees arising out of or connected in any way with the Provider's use of the public right-of-way.

3-3-5 LICENSE AGREEMENT APPLICATION CONTENTS

- a. All applications for permits shall contain the following:
 - i. An application form signed by the applicant or its authorized representative;
 - ii. construction drawings which demonstrate the application meets the minimum requirements of this chapter;
 - iii. Executed third-party pole attachment agreements for the license
 - iv. The appropriate application fee as set forth in subsection 3-3-5.
 - v. An affidavit or attestation describing the entity that will provide wireless service using the small wireless facility and that the installation or collocation of the small wireless facility shall be completed within 270 days after the day on which the County issues the license except in the case that:
 - 1. The county and the applicant agree to extend the 270 day period; or

2. Lack of commercial power or communications transport infrastructure to the small wireless facility delays completion;
- vi. An affidavit or attestation from a Wyoming state licensed engineer that proposed pole structure, pedestals and foundations meet or exceed IBC Structural Design Criteria, and are structurally competent to carry load, shear and any other stresses.
 - vii. An affidavit or attestation from a Wyoming state licensed engineer that the proposed wireless facility shall comply with the radio frequency emissions limits established by the FCC.
 - viii. For an application that proposes collocation of the small wireless facility:
 1. an industry-standard pole load analysis indicating that the structure on which the wireless facilities will be mounted will safely support the load; and
 2. if a small wireless facility cannot be safely installed on the respective structure, the applicant shall either replace the structure with a compliant structure of the same type, or propose a new location.
- b. Applications for a permit shall be filed with the Teton County Road and Levee Supervisor on a form or forms to be furnished by the Teton County Road and Levee Supervisor, and shall contain, as applicable:
 - i. The name, address, telephone, and facsimile number of the applicant. Where an applicant is not the owner of the facility to be installed, maintained or repaired in the public way, the application also shall include the name, address, telephone, and facsimile number of the owner;
 - ii. A description of the location, purpose, method of the proposed work, and surface and subsurface area to be affected;
 - c. A plan showing the proposed location of the work and the dimensions of any excavation and the facilities to be installed, maintained, or repaired in connection with the work, and such other details as the Teton County Road and Levee Supervisor may require;
 - d. Where the applicant is not the owner of the facility or facilities to be installed, maintained, or repaired, the applicant must demonstrate in a form and manner specified by the Teton County Road and Levee Supervisor, that the applicant is authorized to act on behalf of the owner;
 - e. The proposed start date of work;
 - f. The proposed duration of the work, which shall include the duration of the restoration of the right of way physically disturbed by the work;
 - g. Written certification that all material to be used in the work and restoration of the ROW, will be on hand and ready for use so as not to delay the work and the prompt restoration of the public ROW;
 - h. Written certification that the applicant and owner are in compliance with all terms and conditions of this chapter, the orders, and all applicable rules and regulations of the Teton County Road and Levee Supervisor, and that the applicant and owner are not subject to any outstanding assessments, fees or penalties that have been finally determined by the County;
 - i. A scaled small wireless facilities/ pole site plan, rendering or photo simulation, scaled elevation view and other supporting drawings and calculations, showing the location and dimension of all improvements. The submittal must include sufficient information to determine compliance with the standards and requirements of this chapter, specifically including information concerning structure height and location within the ROW,

compliance with the County's intersection and driveway sight distance standards, and compliance with the ADA; and

- j. Any other information that may reasonably be required by the Teton County Road and Levee Supervisor.

3-3-6 LICENSE AGREEMENT APPLICATION, RECURRING FEES AND SURETY BOND

- a. A minimum application fee of \$500 shall be paid at the time of application and covers up to five (5) small wireless facilities, and an additional fee of \$100 shall be assessed for each small wireless facility thereafter.
- b. A recurring fee of \$270 per small wireless facility, per year shall be paid by the provider to the County annually from the date of the License Agreement execution before the license agreement is considered to be in effect. If the FCC raises the specific cost as delineated in the September 2018 Declaratory Ruling and Third Report and Order from \$270 to a higher fee, the higher fee shall be the annual fee.

3-3-7 CONSTRUCTION STANDARDS, PERMITS AND TRAFFIC CONTROL

- a. Construction standards followed for any license agreement shall comply with the Wyoming Public Works Standard Specifications, as said specifications are periodically updated. If specific criteria are not addressed by the Wyoming Public Works Standard Specifications, the Teton County Road and Levee Supervisor may default to other contemporary published engineering specifications that address specific small wireless facility construction needs.
- b. The Provider shall be responsible for any other local, state or federal permit requirements necessary to perform construction, maintenance and operation of said improvements. Failure to obtain any other required permits shall result in the immediate revocation of the Teton County License Agreement.
- c. The applicant shall be responsible for the small wireless facility impacts and remediation. Mitigation shall result in the small wireless facility being restored to pre-construction undisturbed conditions.
- d. The Provider shall be solely responsible for setting up, maintaining and removing any and all traffic control measures that meet the Model Uniform Traffic Control Device (MUTCD) standards.
- e. If a wireless provider's activity causes damage to a ROW, the wireless provider shall repair the ROW to substantially the same condition as before the damage and in accordance with Teton County Road and Levee Supervisor protocols. If a wireless provider fails to make a repair required by the County within a reasonable time after written notice, the County may:
 - i. make the required repair; and
 - ii. charge the wireless provider the reasonable, documented, actual cost for the repair.

3-3-8 REMOVAL RELOCATION AND ABANDONMENT

- a. Within 60 days following written notice from the County, the Provider shall, at its own expense, protect, support, temporarily or permanently disconnect, remove, relocate, change or alter the position of any of its small wireless facilities within the Public ROW, including relocation of above-ground underground small wireless facilities, whenever the County has determined, in its sole discretion, that such removal, relocation, change or alteration is necessary for the construction, repair, maintenance, or installation of any improvement, the operations in, under or upon the Public ROW, or otherwise is in the public interest. The Provider shall be responsible to the County for any damages or penalties it may incur as a result of the Provider's failure to remove or relocate small wireless facilities as required in this subsection.
- b. The County or any cooperating emergency response agency with the County retains the right and privilege to cut or move any small wireless facilities located within the Public ROW of the County, as the County or cooperating agency may determine, in its sole discretion, to be necessary, appropriate or useful in response to any public emergency. If circumstances permit, the County shall notify the Provider and give the Provider an opportunity to move its own facilities prior to cutting or removing the small wireless facilities. In all cases the County shall notify the Provider after cutting or removing the small wireless facilities as promptly as reasonably possible.
- c. A Provider shall notify the Teton County Road and Levee Supervisor of abandonment of any small wireless facilities at the time the decision to abandon is made, however, in no case shall such notification be made later than 30 days prior to abandonment. Following receipt of such notice, the Provider shall remove its small wireless facilities at the Provider's own expense, unless the Teton County Road and Levee Supervisor determines that the small wireless facilities may be abandoned in place. The Provider shall remain solely responsible and liable for all of its small wireless facilities until they are removed from the Public ROW unless the County agrees in writing to take ownership of the abandoned small wireless facilities.

3-3-9 DESIGN STANDARDS APPLICABLE TO ALL SMALL WIRELESS FACILITIES

- a. Integrated Design Consideration: Small wireless facilities, including equipment associated with the small wireless facility, shall be integrated into the stand-alone pole, utility pole or authority pole and generally shall be installed in a manner minimizing the visual impact. Whether the small wireless facility is collocated or is placed on its own pole:
 - i. Small wireless facilities should not be readily noticed;

- ii. All equipment, including electric meters, should be located on or within the pole unless prohibited by the owner of the pole, in which case an alternative power meter box must be approved by the Teton County Road and Levee Supervisor;
 - iii. A small wireless facility and associated equipment located on the exterior of a pole shall be enclosed in a shroud or enclosure painted to match the existing pole color;
 - iv. All small wireless facilities shall be constructed out of or finished with nonreflective materials (visible exterior surfaces only);
 - v. For metal poles:
 - 1. Cable runs should be inside of the pole to the maximum extent practicable;
 - 2. Equipment associated with the small wireless facility should, where practicable, be enclosed at the base of the wireless support structure in a space not more than 24 inches in diameter and not more than five feet eight inches in height; and
 - 3. Poles used for collocation shall be designed to separate different pole users, such as through dual chamber or tri-chamber design.
 - vi. If equipment cannot be installed inside of the pole, pole attachments within 15 feet of ground level shall be positioned on the side of the pole facing away from approaching traffic in the travel lane closest to the pole, provided that if the equipment would extend over a sidewalk or road surface, the equipment shall be positioned in a way to avoid such encroachment;
 - vii. Wireless facility equipment on the outside of a utility pole shall be placed at least 8 feet above the public way, unless otherwise permitted by County;
 - viii. Shall not be lighted or marked unless required by the Federal Communications Commission (FCC), the Federal Aviation Administration (FAA), or other applicable governmental authority; and
 - ix. Signs located at the small wireless facility shall be limited to ownership and contact information, FCC antenna registration number (if required) and any other information as required by applicable governmental authority. Commercial advertising is strictly prohibited.
- b. Antennas
- i. Each individual antenna shall be located entirely within a shroud enclosure of not more than three (3) cubic feet in volume. All antennas associated with the small wireless facility shall not exceed a combined space of six cubic feet.
 - ii. The diameter of the antenna or antenna enclosure should generally not exceed the diameter of the top of the wireless support structure pole, and to the maximum extent practical, should appear as a seamless vertical extension of the pole.
 - iii. In no case shall the maximum diameter of the shroud be wider than one and one-half (1.5) times the diameter of the top of the pole.
 - iv. Where maximum shroud diameter exceeds diameter of the top of the pole, the shroud shall be tapered to meet the top of the pole
 - v. Unless technologically infeasible or otherwise appropriate based on neighborhood context, all antenna shall be mounted to the top of the wireless support structure pole, aligned with the centerline of the structure.
 - vi. Antennas shall be generally cylindrical in shape.

- vii. Antenna shall be completely housed within a cylindrical shroud that is capable of accepting paint to match the wireless support structure.
- c. Height Limitation
 - Except for small wireless facilities on a residential street:
 - i. The height of a structure used for collocation of a small wireless facility, including the wireless facility, measured at the base of the structure shall not exceed the lesser of:
 - 1. For a new or modified utility pole or County pole, 30 feet above ground level together with the minimum antenna height necessary for one antenna contained within any approved concealment feature.
 - 2. A utility pole existing on or before adoption of this Chapter that is used for the collocation of a small wireless facility may, on only one occasion, be increased by up to ten feet (10') to allow for the attachment of the small cell wireless antenna together with any approved concealment feature.
 - 3. A stand-alone pole shall not exceed 30 feet in height.
 - ii. If a ground mounted or buried equipment cabinet is proposed, the cabinet or vault:
 - 1. May be placed above ground in a landscaped park strip or, if there is no landscaped park strip it shall be placed underground;
 - 2. Shall meet the same separation standards as required for a new utility pole from trees and drive approaches; and
 - 3. Ground cabinet shall be secured to a concrete foundation or slab with a breakaway design in the event of collisions and shall not exceed three feet in height, unless special conditions exist that would result in the cabinet encroaching into the sidewalk or to within two feet of the curb.

3-3-10 DESIGN STANDARDS APPLICABLE TO COLLOCATED SMALL WIRELESS FACILITIES

- a. To the maximum extent practicable, all small wireless facilities, associated equipment and cabling shall be completely concealed from view within an enclosure, and may be installed in the following locations:
- b. Where equipment cannot reasonably be incorporated into the base of the authority pole in accordance with section 3-3-7-a-v, it may be installed within:
 - i. An equipment enclosure mounted to the authority pole; or
 - ii. A ground-mounted cabinet physically independent from the authority pole.
- c. Equipment enclosures mounted to an authority pole:
 - i. Shall not protrude more than eighteen (18) inches beyond the face of the pole to the outermost portion of the enclosure.
 - ii. Should be installed as flush to the pole as practical. In no case shall an enclosure be installed more than four inches from the wireless support structure pole.
 - iii. Where multiple enclosures are proposed on a wireless support structure pole, the enclosures shall be grouped as closely together as possible on the same side of the pole.

- iv. Small wireless facility equipment enclosures should be the smallest size practicable to house the necessary facilities and equipment.
- v. Small wireless facility equipment enclosures shall be cylindrical or rectangular in shape, and should generally be no wider than the maximum outside diameter of the pole to which it is attached, to the maximum extent possible.
- vi. Attachment. The shroud enclosure shall be securely strapped to the wireless support structure pole using stainless steel banding straps. Through-bolting or use of lag bolts on publicly-owned wireless support structures is prohibited.

3-3-11 DESIGN STANDARDS APPLICABLE TO SMALL WIRELESS FACILITIES ON NEW STAND ALONE UTILITY POLES

- a. If an applicant proposes to install a new stand-alone utility pole to support a small wireless facility, the pole:
 - i. Design of the pole shall be cylindrical and shall match the aesthetics of existing streetlight poles and streetlights installed adjacent to the pole.
 - ii. Together with the small wireless facility components shall be sized to be visually pleasing.
 - 1. For a pole to be considered visually pleasing, the transition between the equipment cabinet and upper pole should be considered;
 - 2. The equipment associated with the small wireless facility shall be enclosed at the base of the wireless support structure in a space described in subsection 3-3-7-a-v, provided that if a separate equipment cabinet or vault not exceeding 28 cubic feet in size may be used if the equipment cannot reasonably be contained in the space allowed;
 - 3. A decorative transition shall be installed over the equipment cabinet upper bolts, or decorative base cover shall be installed to match the equipment cabinet size and shall taper between different pole sizes;
 - 4. The upper pole shall be scaled to 0.5 to 0.75 the size of the equipment cabinet, with a 10-inch minimum outer diameter at the widest portion of the pole;
 - 5. All hardware connections shall be hidden from view;
 - 6. No horizontal flat spaces greater than 1.5 inches shall exist on the equipment cabinet to prevent cups, trash, and other objects from being placed on the equipment cabinet;
 - 7. Each pole component shall be architecturally compatible to create a cohesive aesthetic; and
 - 8. The pole shall be made of steel and shall be powder coated black.
 - iii. Shall not be located within 100 feet of the apron of a fire station or other adjacent emergency service facility.
 - iv. Shall be placed in alignment with existing trees, utility poles, and streetlights.
 - v. Shall be located such that it in no way impedes, obstructs, or hinders the usual pedestrian or vehicular travel, affect public safety, obstruct the legal access to or use of the public ROW, violate applicable law, violate or conflict with public ROW design standards, specifications, or violate the Federal Americans with

Disabilities Act of 1990, or in any way create a risk to public health, safety, or welfare.

- vi. Shall be located at intersecting property lines as much as possible.
- vii. Whenever possible, shall be located on the secondary street.
- viii. Shall be located a minimum of 15 feet away from trees or outside of the tree drip line, whichever is greater, to prevent disturbance within the critical root zone of any tree.
- ix. Shall be located at least 5 feet away from the widest part of an alley or drive approach, including any flare associated with the approach.
- x. Shall not be installed between the perpendicular extension of the primary street-facing wall plane of any single or two-family residence and the street.
- b. When located adjacent to a commercial establishment, such as a shop or restaurant, care should be taken to locate the pole such that it does not negatively impact the business.
 - i. Shall not be located in-front of store front windows, primary walkways, primary entrances or exits, or in such a way that it would impede a delivery to the building.
 - ii. Should be located between properties as much as possible.

3-3-12 UNDERGROUNDING

- a. A wireless provider will place newly constructed lines and cables underground whenever practicable when building in:
 - i. New residential subdivision areas where other utilities have been placed underground;
 - ii. On any public ROW within the Scenic Overlay District; and
 - iii. Within any Complete Neighborhood as set forth in the Jackson/Teton County Comprehensive Plan
- b. A wireless provider shall locate wires, cables, or other facilities that are not required to be above ground underground.
- c. Any request by a wireless provider for location of any overhead or aerial facilities (other than the antennas or other facilities required to remain above ground in order to be functional) shall be considered by County in accordance with applicable rules and regulations.

3-3-13 CONFLICTS

- a. In the event of a conflict between any provision of this Chapter and a license agreement entered pursuant to it, the provisions of this Chapter shall control.

3-3-14 OTHER APPLICABLE ORDINANCES

- a. A provider's rights are subject to the police powers of the County to adopt and enforce ordinances necessary to the health, safety and welfare of the public. A provider shall

comply with all applicable general laws and ordinances enacted by the County pursuant to its police powers. All providers shall comply with the Teton County Land Development Regulations and other land use requirements.

3-3-15 COUNTY FAILURE TO ENFORCE

- a. A provider shall not be relieved of its obligation to comply with any of the provisions of this Chapter or any franchise granted pursuant to this Chapter by reason of any failure of the County to enforce prompt compliance.