

# Special Event Restroom Guidance

## IS-15: Special Events Contingency Planning Job Aids Manual



### Toilets (Continued)

Calculating the number of toilets required for an event can be a particular challenge. Where local laws or regulations do not exist, the following guidelines can be applied. Better management of events can be achieved by providing additional facilities. Assume a 50/50 male/female split unless otherwise advised. The following tables should be used only as a guide.

#### Toilet facilities for events where alcohol is not available

Patrons	Males			Females	
	Toilets	Urinals	Sinks	Toilets	Sinks
<500	1	2	2	6	2
<1,000	2	4	4	9	4
<2,000	4	8	6	12	6
<3,000	6	15	10	18	10
<5,000	8	25	17	30	17

#### Toilet facilities for events where alcohol is available

Patrons	Males			Females	
	Toilets	Urinals	Sinks	Toilets	Sinks
<500	3	8	2	13	2
<1,000	5	10	4	16	4
<2,000	9	15	7	18	7
<3,000	10	20	14	22	14
<5,000	12	30	20	40	20

These figures may be reduced for shorter duration events as follows:

Duration of event	Quantity required
More than 8 hours	100%
6-8 hours	80%
4-6 hours	75%
Less than 4 hours	70%

#### *Toilets for the Disabled*

At least one unisex toilet for the disabled is required. Check with your local ADA office for further guidance.